

ILLUSTRATED LIST OF PARTS
FOR

Ransomes


“AJAX”

LAWN MOWER
MARK 3



RANSOMES SIMS & JEFFERIES, LTD.
ORWELL WORKS :: IPSWICH :: ENGLAND

Parts for Ransomes "Ajax" Lawn Mowers Mark 3



Mark.	Description.	Number per Machine.
LMS 912	Intermediate gear wheel and bush	1
LK 140	Main gear wheel	1
LK 141	Pin for do.	1
LK 151	Scraper and nameplate	1
LK 153	Setscrews for do.	2
LMS 915	Land roll, R.H., complete with lubricator, NA 5766	1
LMS 916	Land roll, L.H., complete with lubricator, NA 5766	1
LK 182	Pawl, R.H.	2
LK 183	Pawl, L.H.	2
LK 184	Springs for pawl	4
LK 185	Cover for ratchets	2
LS 1806/8	Washer for land roll spindle	1
LS 1808/20	Nut for land roll spindle, L.H.	1
LS 1829/1	Nuts for ratchet cover screws	4
SD 1206	Screws for ratchet	2
NA 9	Screws for ratchet cover	4
NA 5766	Lubricator for land rolls	2
FRONT ROLL SECTION.		
LMS 910	Carriage, R.H., assembly, comprising 1-LK 165, 1-LD 89	1
LMS 911	Carriage, L.H., assembly, comprising 1-LK 166, 1-LD 89	1
LK 167	Carriage bolts	2
LK 169A	Front roll spindle	1
LK 190	Wood roll	4
LS 1805/2	Washer for carriage bolts	2
LD 89	Setscrew for carriage	2
GRASSBOX AND CONCAVE SECTION.		
LK 148	Concave	1
LK 220A	Grassbox assembly	1
HANDLES SECTION.		
LAS 751	Tubular handle assembly comprising 2-LK 163, 1-LK 197, 1-LK/E, 2-LCE 54, 4-LS 1806/4, 4-LS 1808/3, 4-LS 2432/9	1
LK 59A*	Handle stay (riveted type)	1
LK 163	Cover plate for handles	2
LS 1806/4	Washers for handle bolts	4
LS 1808/3	Nuts for handle bolts	4
LS 2432/9	Handle bolts	4
LS 2316/24*	Handle grips	2
SPECIAL FITTINGS.		
LAS 189*	Side rolls complete comprising 1-LK 169C, 2-NA 42C, 2-SD 5758, 2-LS 1806/7, 2-LS 2310/22	1
LK 169C*	Side roll spindle	1
LS 2310/22*	Split pin for side roll spindle	2
NA 42C*	Side roll	2
TOOL KIT.		
LS 2510/A3*	$\frac{1}{4}$ " B.S.F. x 5/16" B.S.F. D.E. Spanner	1
LS 2506/4*	Tecalemit Handigun, GB 2787	1
L 157*	Grinding-in pin	1
LS 2508A/3*	Box spanner	1

* Not illustrated

Printed in England.

C.P. A. 656

List of Parts for Ransomes 12" "Ajax" Lawn Mowers, Mk. 3

NOTE:—"Right and Left Hand" are taken standing at handles.

Mark	Description.	Number per Machine
	SIDE FRAME SECTION.	
LMS 891	Frame stay assembly comprising 1-LK 106A, 1-LS 1806/3	1
LMS 903	Side frame R.H. assembly comprising 1-LK 35, 1-LK 101, 1-NA 5766	1
LMS 904	Side frame L.H. assembly comprising 1-LK 35, 1-LK 102	1
LK 35	Bush for land roll spindle	2
LK 103	Side frame cover	1
LK 104	Screws for do.	4
LMS 913	Adjusting screw with knob and wing nut comprising 1-LK116, 1-LK 117A	2
LK 131	Stud for intermediate gear wheel	1
LS 1806/3	Washer for adjusting screw	2
LS 1808/3*	Nut for frame stay	1
LS 1808/19	Nut for intermediate stud	1
LS 2319/5*	Washer for adjusting screws	4
	CUTTING CYLINDER AND BOTTOM BLOCK SECTION.	
LMA 32*	Bottom Block assembly comprising 1-LK 198, 1-LIH 12 $\frac{1}{4}$, 4-SR 25	1
LMS 899	Cutting cylinder assembly with nut, comprising 1-LK 118A, 4-LK 143, 6-LBK 12, 1-LS 1808/25, 1-LS 2572/7	1
LK 109	Cylinder bearing housing, R.H.	1
LK 110	Cylinder bearing housing, L.H.	1
LK 119	Cylinder pinion	1
LK 120	Distance piece for do.	1
LK 130	Adjusting springs for cutting cylinder	2
LK 198	Bottom block	1
LBK 12	Spiral cutters	6
L 114	Felt washers	2
L 115A	Spring washers	2
L 116	Dust cap	2
L 160	Dust washer	2
LIH 12 $\frac{1}{4}$ "	Bottom blade	1
RL 5	Ball bearings	2
LOE 109	Screws for bottom block	4
SR 25	Screws for bottom blade	4
LS 1808/25	Nut for cylinder spindle	1
LS 2572/7	Washer for cylinder spindle nut	1
NA 5766	Lubricator for bearings housings	2
	LAND ROLL AND GEAR SECTION.	
LMS 919*	Land roll assembly comprising 1-LK 136A, 1-LK 175, 1-LK 177, 1-LK 179, 1-LK 180 2-LK 182, 2-LK 183, 4-LK 184, 2-LK 185, 4-NA 9, 4-LS 1829/1, 2-SD 1206, 2-NA 5766, 1-LS 1808/20	1
LMS 907	Land roll spindle assembly comprising 1-LK 136A, 1-LS 1806/8, 1-LS 1808/20	1
LMS 897	Ratchet assembly, R.H., comprising 1-LK 179, 1-SD 1206	1
LMS 898	Ratchet assembly, L.H., comprising 1-LK 180, 1-SD 1206	1
LK 132	Bush for intermediate gear wheel	1

* Not Illustrated